

# COVID-19 School Screening

**Every morning, before sending your student(s) to school, please check the following:**

➔ If "yes" to any of these questions, **DO NOT** send your student(s) to school. Instead, refer to your school's Return to School Guidance or contact your school. Strongly consider COVID-19 testing if not already done.

**1** Has your child experienced any of the following symptoms since last attending school?:


## SYMPTOMS OF COVID-19



Cough



Shortness of breath



Fever



Headache



Muscle or Body aches



Chills



Sore throat



Congestion or Runny Nose



Loss of taste or smell



Nausea or Vomiting



Fatigue



Diarrhea

**2** Has your child tested positive for COVID-19 within the past 10 days OR is awaiting test results?

**3** Has your child been in close contact (within 6 feet for more than 15 minutes) or lived with anyone with confirmed with COVID-19 within the past 14 days?

# COVID-19

## Return to School Guidance

Situation	Can return to school
<input type="checkbox"/> Close Contact with Positive Case or Probable Case	<b>If symptomatic or unable to adhere to masking and distancing upon return to school</b> <ul style="list-style-type: none"> <li>14 days after last contact with positive case <b>and</b></li> <li>10 days after symptoms started <b>and</b></li> <li>At least 24 hrs fever free (without use of fever-reducing medication) <b>and</b></li> <li>Other symptoms have improved</li> </ul> <b>If no Symptoms and able to adhere to masking and distancing upon return to school</b> <ul style="list-style-type: none"> <li>At least 10 days after last contact with positive case, or 7 full days after receiving a negative test result within 48 hrs prior to return date.</li> </ul>
<input type="checkbox"/> Positive COVID-19 Test	<b>If Symptomatic</b> <ul style="list-style-type: none"> <li>10 days after symptoms started <b>and</b></li> <li>At least 24 hrs fever free (without use of fever-reducing medication) <b>and</b></li> <li>Other symptoms have improved</li> </ul> <b>If no symptoms</b> <ul style="list-style-type: none"> <li>10 days after test collection date</li> </ul>
<input type="checkbox"/> Any <u>Class A Symptoms</u> or <input type="checkbox"/> 2 or more <u>Class B Symptoms</u> of any duration or <input type="checkbox"/> 1 or more <u>Class B Symptoms</u> lasting more than 24 hrs <b>and</b> No Known Exposure or Close Contact	<b>With negative COVID-19 Test Result and/or alternative diagnosis from HCP that explains all symptoms</b> <ul style="list-style-type: none"> <li>24 hrs fever-free (without use of fever-reducing medication) <b>and</b></li> <li>Other symptoms have improved or</li> <li>Per condition diagnosed by HCP (whichever is longer)</li> </ul> <b>Without COVID-19 Test or HCP diagnosis</b> <ul style="list-style-type: none"> <li>10 days after symptoms started <b>and</b></li> <li>24 hrs fever-free (without use of fever-reducing medication) <b>and</b></li> <li>Other symptoms have improved</li> </ul>
<input type="checkbox"/> 1 <u>Class B Symptom</u> that resolves within 24 hrs <b>and</b> No Known Exposure or Close Contact	<ul style="list-style-type: none"> <li>24 hrs fever free (without use of fever-reducing medication) <b>and</b></li> <li>Other symptoms have improved</li> </ul>
<input type="checkbox"/> Awaiting COVID-19 Test Result	Stay home while awaiting test results, then follow appropriate guidance above.

Symptoms Consistent with COVID-19 (not related to a pre-existing condition)
<b>Class A Symptoms</b> <ul style="list-style-type: none"> <li>Fever (100.4 or over)</li> <li>Chills</li> <li>Cough</li> <li>Loss of taste or smell</li> <li>Shortness of breath</li> </ul>
<b>Class B Symptoms</b> <ul style="list-style-type: none"> <li>Fatigue</li> <li>Headache</li> <li>Muscle or body aches</li> <li>Sore throat</li> <li>Congestion or runny nose</li> <li>Nausea or vomiting</li> <li>Diarrhea (2 or more loose stools in 24 hrs)</li> </ul>

**Close Contact:** Individuals within 6 ft for a cumulative total of 15 or more minutes over a 24 hr period to a confirmed case during the infectious period

**Probable Case:** Symptoms and Close Contact with Positive Case

**Infectious Period:** Begins 48 hrs prior to symptom onset

**Alternative Diagnosis:** Lab-confirmed diagnosis such as strep throat or viral pathogen. Can also include childhood rash illness, acute otitis media, etc. (COVID-19 test still strongly recommended in addition)